

RELIABILITY CONSISTENCY INSIGHT

WIDER1 *CHROME*



TIRELESS INNOVATOR

WIDER1 CHROME

PRESSURE
GRAVITY
SUCTION
SPRAY GUNS

SPRAY GUN OVERVIEW



The key points in industrial coating products are quality and repeatability. We have always created ideal spray guns, adopted to diverse applications and evolving paints. Now we developed the new WIDER 1 CHROME model which goes further than ever in our pursuit of these key points. Our spray guns have penetrated

markets around the world since the W-101 made its debut 14 years ago. We have distilled this experience and expertise that we accumulated over those years into this new WIDER 1 CHROME models.

WIDER1 CHROME PRESSURE SERIES

TECHNICAL DATA

	Ø mm	No.	bar	m ³ /min	l/min	mm
WIDER1 CHROME-08E2P	0.8	E2P	3.0	150	270	190
WIDER1 CHROME-10E2P	1.0			200		220
WIDER1 CHROME-13E2P	1.3		2.5	200	220	210
WIDER1 CHROME-15E2P	1.5			250		240

SPRAY DISTANCE: 150 ~ 300 mm

ORDER INFORMATION

	Ø 0,8	Ø 1,0	Ø 1,3	Ø 1,5	€
WIDER1 CHROME PRESSURE SINGLE GUN	WIDER1-08E2P-M	WIDER1-10E2P-M	WIDER1-13E2P-M	WIDER1-15E2P-M	310,50
AIR CAP SET E2P	93012200				88,70
FLUID NOZZLE & NEEDLE SET	93012390	93012430	93012350	93012460	85,80

• Air Nipple: G1/4" • Fluid Nipple: G1/4"

WIDER1 CHROME GRAVITY SERIES

TECHNICAL DATA

	Ø mm	No.	bar	m ³ /min	l/min	mm
WIDER1 CHROME-10E1G	1.0	E1	2.5	95	75	130
WIDER1 CHROME-13H2G	1.3	H2		160	225	175
WIDER1 CHROME-15H2G	1.5			190		190

SPRAY DISTANCE: 150 ~ 300 mm

ORDER INFORMATION

	Ø 1,0	Ø 1,3	Ø 1,5	€
WIDER1 CHROME GRAVITY SINGLE GUN	WIDER1-10E2G-M	WIDER1-13H2G-M	WIDER1-15H2G-M	310,50
WIDER1 CHROME GRAVITY WITH PC 4S	130155A0	130156A0	130157A0	355,30
WIDER1 CHROME GRAVITY WITH PC 52	130158A0	130159A0	130160A0	334,20
AIR CAP SET E1	93012200			88,70
AIR CAP SET H2	93012150			80,10
FLUID NOZZLE & NEEDLE SET	93012430	93012350	93012460	85,80

• Air Nipple: G1/4" • Fluid Nipple: G1/4"

WIDER1 CHROME SUCTION SERIES

TECHNICAL DATA


	Ø mm	No.	bar	m ³ /min	l/min	mm
WIDER1 CHROME-13H2S	1.3	H2	2.5	150	225	160
WIDER1 CHROME-15H2S	1.5			170		175
WIDER1 CHROME-18N1S	1.8	N1		210	170	170

SPRAY DISTANCE: 150 ~ 300 mm

ORDER INFORMATION

	Ø 1,3	Ø 1,5	Ø 1,8	€
WIDER1 CHROME SUCTION - SINGLE GUN	WIDER1-13H2S-M	WIDER1-15H2S-M	WIDER1-18N1S-M	310,50
WIDER1 CHROME SUCTION WITH PCL7 B2	130149A0	130150A0	130151A0	360,50
AIR CAP SET	H2 93012150		N1 93012270	80,10
FLUID NOZZLE & NEEDLE SET	93012350	93012460	93012480	85,80

• Air Nipple: G1/4" • Fluid Nipple: G1/4"





GET IN TOUCH WITH YOUR OFFICIAL
ANEST IWATA DISTRIBUTOR OR SYSTEM INTEGRATOR

ANEST IWATA Italia S.r.l.
Chieri (TO) - ITALY.
info@anest-iwata-it.com
www.anest-iwata.it

ANEST IWATA Deutschland GmbH
Leipzig - GERMANY
info@anest-iwata-de.com
www.anest-iwata.de

ANEST IWATA France S.A.
Saint Quentin Fallavier, Lyon - FRANCE
info@anest-iwata-fr.com
www.anest-iwata.fr

ANEST IWATA U.K. Ltd.
St. Neots Cambridgeshire - ENGLAND
info@anest-iwata-uk.com
www.anest-iwata.co.uk

ANEST IWATA Iberica S.L.U.
Saint Adrià del Besos - Barcelona - SPAIN
info@anest-iwata-ib.com
www.anest-iwata.es

ANEST IWATA Scandinavia AB.
Partille, Göteborg - SWEDEN
info@anest-iwata-se.com
www.anest-iwata.se

ANEST IWATA Polska Sp. Z o.o.
Jasin / Swarzędz - POLAND
info@anestiwata.com.pl
www.anest-iwata.pl

ANEST IWATA STRATEGIC CENTER S.R.L.
Via degli Aceri 1 - 21010 Cardano al Campo (VA) - Italy
Tel: +39 (0) 331 73 31 20 - Fax: +39 (0) 331 26 23 38
Email: info@anest-iwata-st.com
www.anest-iwata-coating.com

September 2020

Errors and technical alterations reserved.